



Abrasion Resistant

Can withstand heavy abrasion.



Temperature Resistant

Resistant to temperatures of -80°C to 150°C.



Chemical Resistant

Resistant to a wide range of industrial chemicals.



Water Resistant

Water resistant.



Fade Resistant

Resistant to ultraviolet exposure.



Laminated

Patented lamination provides an extra protective overcoat.



Strong Adhesion

Strong adhesion to a wide range of surfaces.



Easy Peel

Enables convenient removal of tape backing.

Technical Information

Hardware

Housing Dimensions	159mm(W) x 150mm(D) x 60mm(H)
Housing Weight	470g (without batteries and tape cassette)
Housing Design	Small Desktop
Housing Colour	Black & Silver
Keyboard	QWERTY / AZERTY / QWERTZ
Number of Keys	61 keys
Cutter	Manual
Power	AAA sized Alkaline Batteries x 6pcs (not included) or AC Adapter, Model G1 (included)
LCD	15 characters x 1 line
Included Items	User Guide 12mm x 4m Black on White Laminated Tape Starter Tape - TZ231
Tape Type	TZ-tape
Tape Size	3.5 / 6 / 9 / 12mm
Print Head	180 dpi
Print Speed	10mm / sec.

Firmware

Built in Fonts	Helsinki
Characters	268
Symbols	63
Max. Print Height	9mm
Number of lines printable	Max.2 lines
Text Buffer	80 characters
Type Styles	Normal / Bold / Outline / Shadow / Italic Italic Bold / Italic Outline / Italic Shadow / Vertical
Framing & Fill Pattern	7 kinds (Off/Underline/Round/Callout/Wooden/Candy/Banner)
Mirror Printing	Yes
Templates	Yes (Length Auto Format - Off / VHS Spine / Mini DV Spine / Audio Tape / CD Case Spine / File Tab / Divider Tab)
Battery Weak Indication	Yes
LCD Language Change	Yes
Auto Power Off	Yes
Print Image (Preview)	Yes

Contact:

brother[®]
at your side

Brother UK Ltd.,
Audenshaw, Manchester, M34 5JD
Tel: **0870 830 4020** (National Rate Call)
Fax: **0870 830 4031**
www.brother.co.uk






All specifications correct at time of printing. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

brother®
at your side

P-touch 1280DT

Electronic labelling system



P-touch LABELS
TESTED
TO THE EXTREME ✓





The Brother P-touch 1280DT has been specifically designed to accommodate all of your labelling needs.



- ⋯ Clearly and permanently label filing cabinets
- ⋯ Neaten files and folders
- ⋯ Organise CDs
- ⋯ Label PC equipment, including monitors & cables

P-touch 1280DT

Everyone knows that in a busy working environment there's nothing more important than having the right equipment in place. With this in mind, the Brother P-touch 1280DT has been specifically designed to accommodate

all of your labelling needs. This simple, easy-to-use desktop labelling machine will help you to create clear, professional labels for any purpose with the minimum of fuss, leaving you free to use your time more efficiently.



P-touch



Power
Powered by AC adapter for even greater economy or 6 x AAA batteries (neither included)




Favourite Label Memory
Save and re-print your favourite labels at the touch of a button



LCD preview screen
Large preview screen enables you to check and edit your label before printing



QWERTY Keyboard
The familiar QWERTY keyboard has been designed ergonomically for ease of use



Cutter
Built in manual cutter, so you can cut every label to size

Tape width

In every working environment there's often the need for a wide variety of different labelling solutions. With the P-touch 1280DT you can print labels of any size; from 3.5mm tape for slimline CDs right up to 12mm tape for filing cabinets.



Design versatility

Choose from 9 different type style combinations, as well as mirrored text, underlining and two-line printing capabilities. The possibilities are endless.

VERTICAL

NORMAL	OUTLINE
BOLD	SHADOW
FLORRIM	ITALIC
	ITALIC/OUTLINE
	ITALIC/BOLD
	ITALICSHADOW

Symbols and Frames

Choose from 5 frame styles and 63 symbols.




Hardwearing Labels

Brother's unique, patented TZ tapes are designed to be extra hardwearing. Tests have shown that these scratch-proof labels can withstand heavy abrasion, electrical resistance and lengthy exposure to chemicals, sunlight, water and extreme temperatures, from -80°C to 150°C.

Laminated Tape Construction

Brother laminated tapes consist of six layers of materials, resulting in a thin, extremely strong label. Characters formed with thermal transfer ink are actually printed on the underside of the laminate and sandwiched between layers of PET (polyester film). This lets you create characters that are virtually indestructible on labels that stand the test of time.



Brother Laminate Tape Construction

Tape Colours & Length

TZ tapes are available in a large range of colours. Standard tape length is 8m providing approximately 100 labels (based on 10 characters & standard label length of 8cm). For full tape line up see TZ tape catalogue.



Tapes for all purposes


Within the laminated TZ tape range we also offer special tapes, including:

Strong Adhesive Tape - To give improved adhesion for those even more demanding applications and environments. In tests, this tape has shown improved performance on materials including: stainless steel, glass, PVC, acrylic, polypropylene and polyester-coated wood.

Flexi ID Tape - Ideal for cylindrical surfaces and flagging cables.

Silver Metallic Tape - This reflective aluminium effect tape is ideal for use on valuables and looks smart on electrical equipment too.

Fabric Iron-On Tape - Produces washable cloth labels that can be attached onto various fabrics by using an iron. This tape is ideal for labelling uniforms, work wear, bedding and table cloths.



brother®
at your side