



## Colour wireless LED printer

**HL-L3270CDW**



PRINT



WIRELESS

[www.brother.eu](http://www.brother.eu)

## Colour wireless LED printer

The HL-L3270CDW includes a host of time saving features, including Near-Field Communication (NFC) which allows you to simply tap and

print from your mobile, and a 6.8cm colour touchscreen for easy access to printer settings. Along with the high capacity paper tray and both wired and wireless connectivity, this quiet and fast machine is an office must.

**HL-L3270CDW**



### Key Features:

- Fast print speeds of up to 24 pages per minute
- Large paper capacity of 250 sheets
- Automatic 2-sided printing
- Easy to use 6.8cm colour touchscreen
- Wired and wireless connectivity
- Near-Field Communication (NFC) for quick mobile printing
- 256MB memory
- Up to 1,000 pages\* inbox toners

### Don't add to the office noise

Within a busy office environment, you don't need any additional noise to distract you from your work. The HL-L3270CDW has been engineered to print up to 24 pages per minute at under

47dB - quieter than your daily office conversation. These industry leading specifications, make this colour machine perfect for desktop working.

### Add some colour to your business

Colour can be impactful, and even everyday business documents need a hint of colour.

The HL-L3270CDW offers up to 2,400dpi print quality, and uses LED technology to produce high quality professional colour prints.

### Save time and money

These desktop devices are fast, reliable and great value. The built in 250 sheet paper capacity allows you to keep working longer without having to replenish the paper tray. By using the high yield supplies, you won't have to spend time changing your toner as often, as well as achieving a competitive cost per page for both colour and mono. By boosting productivity, and reducing any down time, your office can run more smoothly.

\* Approx declared yield value in accordance with ISO/IEC 19798

**brother**  
at your side

HL-

<p><b>General</b></p>	<p><b>Technology</b> Electrophotographic LED</p> <p><b>Processor</b> Cortex-A9 800MHz Sub: ARM946 133MHz</p> <p><b>Memory</b> 256MB</p>	<p><b>Wired Network</b> 10Base-T/100Base-TX</p> <p><b>Wireless Network</b> IEEE 802.11b/g/n</p> <p><b>Control Panel</b> 6.8cm Colour Touchscreen</p>	<p><b>Local Interface</b> Hi-Speed USB 2.0</p> <p><b>Mobile Print</b> Print from your mobile devices to your Brother printer</p> <p><b>NFC</b> Integrated Near-Field Communication (NFC), for mobile</p>
<p><b>Print</b></p>	<p><b>Print Speed (A4)</b> Up to 24PPM (Pages per minute) Colour &amp; Mono</p> <p><b>Print Speed 2-Sided (A4)</b> Up to 8 Sides per minute Colour &amp; Mono</p> <p>Print on to both sides of the paper Automatically</p> <p><b>Resolution</b> 2,400 dpi (600 x 2400)</p>	<p><b>Quiet Mode</b> A mode to reduce the printing noise by reducing the print speed to 12ppm</p> <p><b>FPOT (First Print Out Time)</b> Less than 14 seconds from ready mode</p> <p><b>Warm Up Time</b> Less than 24 seconds from sleep mode</p> <p><b>Print Languages</b> PCL6, BR-Script3 PDF Version 1.7, XPS Version 1.0</p>	<p><b>Embedded Fonts (PCL)</b> 73 scalable fonts, 12 bitmap fonts</p> <p><b>Embedded Fonts (Postscript)</b> 66 scalable fonts</p> <p><b>Embedded Barcodes (PCL)</b> *Code39, Interleaved 2 of 5, FIM (US-PostNet), Post Net (US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E, Codabar, ISBN (EAN), ISBN (UPC-E), Code128 (set A, set B, set C), EAN128 (set A, set B, set C), Code93, GS1 Databar, MSI</p>
<p><b>Printer Functions</b></p>	<p><b>N-up Printing<sup>3</sup></b> Reduce up to 2, 4, 9, 16 or 25 A4 pages into just one A4 page (Mac, up to 2, 4, 6, 9, or 16)</p> <p><b>Poster Printing<sup>4</sup></b> Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages</p> <p><b>Watermark Printing<sup>4</sup></b> Watermark your documents with</p>	<p><b>ID Printing<sup>4</sup></b> Add identification to your printed documents (date &amp; time, short custom message or PC username)</p> <p><b>Manual 2-Sided Print<sup>4</sup></b> Manual 2-sided printing (recommended for media not supported by automatic 2-sided print)</p>	<p><b>Booklet Printing<sup>4</sup></b> Print documents in A5 booklet format using automatic or manual 2-sided print</p> <p><b>Print Profiles<sup>3</sup></b> Store your favourite driver settings as profiles to easily recall them</p> <p><b>Print Text In Black<sup>4</sup></b> Converts all text in your documents to black when printed</p>
<p><b>Printer Driver</b></p>	<p><b>Windows®</b> Windows® 10 (32 &amp; 64 bit editions) Windows® 8 (32 &amp; 64 bit editions) Windows® 7 (32 &amp; 64 bit editions) Windows® Server 2016 (32 &amp; 64 bit editions)* Windows® Server 2012, 2012R2 &amp; 2008R2</p>	<p><b>Macintosh</b> macOS 10.8.x or greater</p> <p><b>Linux<sup>5</sup></b> CUPS, LPD/LPRng (32 &amp; 64 bit editions)</p>	<p><b>PostScript Universal Printer Drivers</b> Driver for Windows® that enables you to print to any network or locally-connected Brother laser printer that supports PostScript</p> <p><b>PCL Drivers</b> Generic PCL XL driver</p>
<p>1 Approx declared yield value in accordance with ISO/IEC 19798. 2 Calculated with 80g/m<sup>2</sup> paper. 3 Windows® &amp; Mac® only. 4 Windows® only. 5 Optional download. 6 Maximum number of printed pages per month (MPPM) used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements. 7 Requires Brother Software. 8 Must be web connected.</p>		<p>All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.</p>	

## Paper Handling

### Paper Input

Standard Tray - 250 sheets Manual feed slot - 1 sheet

### Paper Output

150 sheets Face Down (80g/m<sup>2</sup>)

1 sheet face-up (straight paper path)

### Media Type & Weights Standard Tray

Plain & Recycled paper (between 60 - 163g/m<sup>2</sup>)

### Brother iPrint&Scan (Android)

Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from an Android device

### Brother iPrint&Scan (iPad / iPhone / iPod)

Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from an iPad / iPhone / iPod Touch

### Media Sizes Standard Tray

A4, Letter, A5, A5 (Long Edge), A6, Executive

### Media Type & Weights 2-Sided Print

Plain & Recycled paper (between 60 - 163g/m<sup>2</sup>)

### Media Sizes 2-Sided Print

A4  
Envelope & Label Printing Yes, from the manual feed slot: support for 1 envelope / sheet

### Media Type & Weights Manual feed slot

Plain, Recycled, Bond, Label, Envelope paper (between 60 - 163g/m<sup>2</sup>)

### Media Sizes Manual feed slot

Width 76.2 to 216 mm, Length 116 to 355.6 mm Envelope: COM-10, DL, C5, Monarch

## Mobile and Web Connectivity

### Apple AirPrint

Print from and scan to most common file types from any AirPrint enabled application

**Brother Print Service Plugin**  
Print from Android devices without a dedicated App

### Mopria

Print most common file types from Mopria supported Android devices

### NFC

Integrated Near-Field Communication (NFC) with optional front Box, Dropbox, Evernote, OneDrive, Google Drive™, OneNote

## Fleet Management Tools

### Unattended Installer<sup>4</sup>

Ability to centrally deploy and customise our drivers and software

### MSI Installer<sup>4</sup>

Modular installers that can be distributed through Active Directory®

### BRAdmin Light<sup>4&5</sup>

LAN/WAN management software

**Embedded Web Server** Web based print management software embedded onto the device

### Driver Deployment Wizard<sup>4</sup>

Easily create print drivers for hassle free deployment over your network

**PrintSmart Cost Control**  
Monitor and control printing costs for all Brother and 3rd party devices

For more information on PrintSmart Solutions visit: [www.brother.eu](http://www.brother.eu)

<sup>1</sup> Approx declared yield value in accordance with ISO/IEC 19798. <sup>2</sup> Calculated with 80g/m<sup>2</sup> paper.

<sup>3</sup> Windows® & Mac® only. <sup>4</sup> Windows® only.

<sup>5</sup> Optional download.

<sup>6</sup> Maximum number of printed pages per month can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

<sup>7</sup> Must be web connected.

All specifications correct at the time of printing and are subject to change.

Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

<p><b>Software</b></p>	<p><b>Brother iPrint&amp;Scan</b> (Windows &amp; Mac)<sup>5</sup> Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from windows or macOS PC</p>		
<p><b>Network and Security</b></p>	<p><b>Wired Network</b> 10Base-T/100Base-TX</p> <p><b>Wired Network Security</b> SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP, POP), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos</p> <p><b>Wireless Network</b> IEEE 802.11b/g/n (Infrastructure Mode) IEEE 802.11g/n (Wi-Fi Direct)</p> <p><b>Wireless Network Security</b> WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (AES) *Wi-Fi Direct supports WPA2-PSK (AES) only.APOP, POP before SMTP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP, POP), SNMP v3 802.1x (LEAP, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos</p> <p><b>Wi-Fi Direct™</b> Print wirelessly without having to go through a wireless access point</p>	<p><b>Wireless Setup Support</b> Wi-Fi Protected Setup (WPS)</p> <p><b>Wireless Applications</b> Vertical Pairing</p> <p><b>IPv4</b> ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/v3, ICMP, Web Services (Print), CIFS client, SNTP client</p> <p><b>IPv6</b> NDP, RA, DNS resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS server,</p>	<p><b>IP Filter</b> Restrict which network users can or cannot access the device over the network (IPv4 only)</p> <p><b>E-mail Notifications</b> Automatically have the device send e-mail alerts when it requires attention, such as when the toner is low or needs replacing</p> <p><b>E-mail Reports</b> Receive usage reports on a regular basis via e-mail</p> <p><b>Setting Lock</b> Secures access to the devices control panel by locking it</p> <p><b>Secure Function Lock 3.0</b> Restrict access to individual or groups of users over a network. Can be used with PC User Login Names for up to 100 users</p> <p><b>Secure Print</b> Protect print jobs with a 4 digit release code required at the device</p>
<p><b>Supplies and Accessories</b></p>	<p><b>High Yield Toner</b> 1,000 Pages (C) 1,000 Pages (M) 1,000 Pages (Y) 1,000 Pages (BK) Standard Yield Toner 1,000 Pages C/M/Y/BK (TN-243)</p>	<p><b>High Yield Toner</b> 3,000 Pages (BK) 2,300 Pages (C) 2,300 Pages (M) 2,300 Pages (Y) Standard Yield Toner 1,000 Pages C/M/Y/BK (TN-243)</p> <p><b>High Yield Toner</b> 18,000 Pages (1 page / job)</p>	<p><b>High Yield Toner</b> 50,000 pages (2 page / job)</p> <p><b>Waste Toner Box (WT-223CL)</b> Approx. 50,000 pages (5 page / job)</p>
<p><b>Dimensions and Weights</b></p>	<p><b>Without Carton (WxDxH)</b> 439 x 461 x 252 mm -18.3kg</p> <p><b>With Carton (WxDxH)</b> 589 x 532 x 372 mm - 22.1kg</p>		

1 Approx declared yield value in accordance with ISO/IEC 19798. 2 Calculated with 80g/m<sup>2</sup> paper.

3 Windows® & Mac® only. 4 Windows® only.

5 Optional download.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

7 Requires Brother Software.

8 Must be web connected.

All specifications correct at the time of printing and are subject to change.

Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

## Duty Cycles

**Recommended Monthly**  
300 to 1,500 pages  
monthly print volume

**Maximum Monthly<sup>6</sup>**  
Up to 30,000 pages  
monthly print volume

## Environment

**Power Consumption** Printing  
- 430W, Ready - 65W,  
Quiet Mode - 260W,  
Sleep - 9.1W,  
Deep Sleep - 1.2W, Off -  
0.04W

**TEC Value**  
1.3 kWh/Week

**Sound Pressure Level**  
Printing - 47dB(A),  
Ready - 33dB(A),  
Quiet Mode -  
33dB(A)

**Static Power**  
Printing - 6.19B(A)  
Mono / 6.29B(A)  
Colour  
Ready - 4.67B(A),  
Quiet Mode - 5.78B(A)  
Mono / 5.86B(A) Colour,  
Deep Sleep - Inaudible

**Power Saving**  
This enables the printer to  
consume less energy  
when not in use

**Toner Saving**  
This reduces the toner  
usage and helps to  
reduce the total cost of  
printer ownership

**Energy Star**  
Yes

**Blue Angel**  
Yes

**Nordic Swan**  
Yes

**GS Mark**  
Yes

**Eco Mode**  
Yes

<sup>1</sup> Approx declared yield value in accordance with ISO/IEC 19798. <sup>2</sup> Calculated with 80g/m<sup>2</sup> paper.

<sup>3</sup> Windows® & Mac® only. <sup>4</sup> Windows® only.

<sup>5</sup> Optional download.

<sup>6</sup> Maximum number of printed pages per month can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

<sup>7</sup> Requires Brother Software.

<sup>8</sup> Must be web connected.

All specifications correct at the time of printing and are subject to change.

Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.



**Working with you for a better environment**  
At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.  
[www.brotherearth.com](http://www.brotherearth.com)

All specifications correct at the time of printing and are subject to change.  
Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

**brother**  
at your side