













www.brother.eu

Colour wireless LED 4-in-1 printer

Our top of the range model offers full business support, with a 2-sided Automatic Document Feeder (ADF) for time saving fax, scan and copy as well as a 30 sheet multi purpose tray for printing on heavier and different sized media.

The built in Near-Field Communication (NFC) allows you to tap and print from your mobile, making this quick and quiet machine your perfect office partner.

MFC-L3770CDW



Key Features:

- Fast print speeds of up to 24 pages per minute
- Large paper capacity of 250 sheets
- Automatic 2-sided printing & scanning
- 50 sheet Auto Document Feeder (ADF)
- Easy to use 9.3cm colour touchscreen
- Wired and wireless connectivity & NFC for mobile print
- 30 sheet multipurpose tray
- Print from or scan directly to a USB stick
- Up to 1,000 pages* inbox toners

Don't add to the office noise

In an office environment, you dont need your printer adding to the office noise. The MFC-L3770CDW has been engineered to print up to 24 pages per minute at under 47dB - quieter than your daily office conversation. These industry leading specifications, make this colour machine perfect for desktop working.

Designed with efficiency in mind

This robust multifunction desktop device is easy to use and simple to set up. With a host of time saving features including the 50 sheet 2-sided Automatic Document Feeder (ADF) making scanning or copying 2-sided documents even easier. Stay connected by using the Near-Field Communication (NFC) feature to print from your mobile simply by tapping near the device. Use the 30 sheet multi purpose tray to easily print on a wider range of media up to 163gsm.

Add some colour to your business

Business isnt always black and white, print in full colour to add impact to those important documents. The MFC-L3770CDW offers up to 2,400dpi print quality, and uses LED technology to produce high quality professional prints. Colour doesn't stop at your printouts, this machine has a full colour 9.3cm colour touchscreen for quick and easy access to features.

Save time and money

These desktop devices are fast, reliable and great value. The built in 250 sheet paper capacity allows you to keep working longer without having to replenish the paper tray. By using the high yield supplies, you won't have to spend time changing your toner as often, as well as achieving a competitive cost per page for both colour and mono. By boosting productivity, and reducing any down time, your office can run more stoppy.

^{*} Approx declared yield value in accordance with ISO/IEC 19798.

General

Technology Electrophotograp hic LED

Cortex-A9 800MHz Sub: ARM946 133MHz

Memory 512MB

Wired Network 10Base-T/100Base-TX

Wireless Network IEEE 802.11b/g/n

Control Panel 9.3cm Colour Touchscreen

Integrated Near-Field Communication (NFC), for mobile print

Local Interface Hi-Speed USB 2.0

Print from your mobile devices to your Brother printer

Print

Print Speed (A4) Up to 24PPM (Pages per minute) Colour & Mono

Print Speed 2-Sided (A4) Up to 8 Sides per minute Colour & Mono

Print on to both sides of the paper Automatically

Resolution

2,400 dpi (600 x 2400)

Quiet Mode

A mode to reduce the printing noise by reducing the print speed to 12ppm

N-up Printing3

Reduce up to 2, 4, 9, 16 or 25 A4 pages into just one A4 page (Mac, up to 2, 4, 6, 9, or 16)

Poster Printing4

Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages

Watermark Printing4

Watermark your documents with predefined text or with your own user-defined messages

ID Printing4

Add identification to your printed documents (date & time, short custom message or PC username)

FPOT (First Print Out Time) Less than 14 seconds from ready mode

Warm Up Time

Less than 24 seconds from sleep mode

Print Languages PCL6, BR-Script3 PDF Version 1.7, XPS Version 1.0

Embedded Fonts (PCL)

73 scalable fonts, 12 bitmap fonts

Embedded Fonts (Postscript) 66 scalable fonts

Embedded Barcodes (PCL)

*Code39, Interleaved 2 of 5, FIM (US-PostNet) Post Net (US-PostNet) FAN-8.

EAN-13, UPC-A, UPC-E, Codabar ISBN (EAN) ISBN (UPC-E) Code128 (set A, set B, set C) EAN128 (set A. set B. set C) Code93 GS1Databar MSI

Printer Functions

Manual 2-Sided Print4

Manual 2-sided printing (recommended for media not supported by automatic 2sided print)

Booklet Printing4

Print documents in A5 booklet format using automatic or manual 2sided print

Print Profiles3

Store your favourite driver settings as profiles to easily recall

Print Text In Black4

Converts all text in your documents to black when printed

Print from USB

Print directly from a USB flash drive (PDFv1.7, JPEG, TIFF)

Configurable Shortcuts

Create up to 18 personaliased shortcuts for a quick and easy access to your regularly print, copy, scan and fax functions

1 Approx declared yield value in accordance with ISO/IEC

19798. 2 Calculated with 80g/m2 paper.

3 Windows® & Mac® only. 4 Windows®

5 Optional download.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

7 Requires Brother

8 Must be web connected

All specifications correct at the time of printing and are subject time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective

Printer Drivers

Windows® Windows® 10 (32 & 64 bit editions) Windows® 8 (32 & 64 bit editions) Windows® 7 (32 & 64 bit editions) Windows® Server 2016 (32 & 64 bit editions)* Windows® Server 2012, 2012R2 & 2008R2*

Macintosh5 macOS v10.11.6, 10.12.x, 10.13.x

Linux5

CUPS, LPD/LPRng (32 & 64 bit editions) PostScript Universal Printer

Driver5

Driver for Windows® that enables you to print to any network or locally-connected Brother laser printer that supports PostScript

PCL Driver5

Generic PCL XL driver

* Windows® Server supports network printing only

Paper Handling

Phippord August Server 20008dard Tray - 250 6382e3564Abtomatic **Dobitionns**)r*t Feeder (ADF) - 50 Sheets Multi Purpose Tray - 30 Sheets

Paper Output

150 sheets Face Down (80g/m₂)

1 sheet face-up (straight paper path)

Media Type & Weights Standard Tray

Plain & Recycled paper (between 60 - 163a/m2)

Media Sizes Standard Trav A4, Letter, A5, A5 (Long Edge), A6, Executive

Media Type & Weights 2-Sided Print

Plain & Recycled paper (between 60 - 163g/m₂)

Media Sizes 2-Sided Print

A4

Media Type & Weights ADF Plain & Recycled paper (between 60 - 105g/m2)

Media Sizes ADF Width 105 to 218 mm, Length 148 to 357.6 mm Media Type & Weights Multipurpose Tray Plain, Recycled, Bond, Label. Envelope paper (between 60 -163g/m₂)

Media Sizes Multipurpose Trav

Width 76.2 to 216 mm, Length 116 to 355.6 mm Envelope; COM-10,

Davelope & Daber Printing Yes, from the manual feed slot: support for 1 evelope / sheet

Mobile and Web Connectivity

Brother iPrint&Scan (Android)

Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from an Android device

Brother iPrint&Scan (iPad / iPhone / iPod)

Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from an iPad / iPhone / iPod Touch

Brother iPrint&Scan (Windows® Phone)

Print from and scan to a smart phone running the Windows® Phone Operating System

Brother Print&Scan (Windows® 8,10 & RT) Print from and scan to a

Windows® 8,10 or Windows RT Tablet

Google Cloud Print 2.0 Print most common file types from any Google Cloud Print enabled application

Apple AirPrint

Print from and scan to most common file types from any AirPrint enabled application

Brother Print Service Plugin Print from Android devices without a dedicated App

Mopria

Print most common file types from Mopria supported Android devices

Brother Apps8

Print creative center, Scan to Mobile, Scan to Searchable PDF, Enlarge Tex Copy, Fax forward to Cloud/E-mail, Scan to PowerPoint, Scan to Excel, Scan to Word, Easy scan to E-mail

Web Connect8

Print from and scan to without using a PC on Box, Dropbox, Evernote, OneDrive, Google DriveTM OneNote

- 1 Approx declared yield value in accordance with ISO/IEC
- 19798. 2 Calculated with 80g/m2 paper. 3 Windows® & Mac®

- 5 Optional download.
- 6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

 7 Requires Brother

- 8 Must be web connected.

All specifications correct at the time of printing and are subject to change Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective

Print Speed (A4) Copy Up to 24CPM (Copy per minute) Colour & Mono FCOT (First Copy Time Out) Less than 15 seconds from ready mode Colour & Mono Resolution Up to 600 x 600dpi Multi-Copying/Stack/Sort Makes up to 99 copies of each page / Stacks or Sorts Scanner Type Scan **Dual CIS** (Contact Image Sensor) Colour & Mono Scanning Scan Speed Mono 27ipm (images per minute) Scan Speed Colour 21ipm (images per minute)

Enlargement/Reduction Ratio Reduce Increase or document sizes from 25% 400% 1% to in increments N in 1 Copying

Allows the user to compress 2 or 4 pages on to a single A4 sheet 2in1 ID Copying

Allows the user to copy both sides of an ID card to a single A4 sheet

Scan Speed 2-Sided (A4) Up to 54ipm mono and 32ipm colour Scan Resolution from

Scanner Glass Up to 1,200 x 2,400dpi

Interpolated Scan Resolution Up to 19,200 x 19,200dpi

Grey Scale 256 shades of grey (8

Receipt Copying Produces clearer copies of receipts Enlarge Text Copy8 Makes reading copied documents easier if the size of the text on the original document is

2-Sided Copy

Grev Scale

Scan Resolution from ADF Up to 600 x 600dpi

48 bit color Processing (Input) 24 bit color Processing (Output)

16bit color Processing (Input) 8bit color Processing (Output)

Scanner Functions

Scan to E-mail Scan and share documents via e-mail server

Scan to OCR

Scan documents directly into your word processing application for instant editing

Scan to Image

Scan into your preffered image editing software

Scan to a file on your computer

Scan to USB Scan directly to a USB flash drive TWAIN & WIA Windows® 10

(32 & 64 bit editions) Windows® 8 (32 & 64 bit editions) Windows® 7 (32 & 64 bit editions)

Scan to Network Folder Scan documents to a nominated folder on your network without using a Windows PC

Scan to FTP

Scan documents directly to a FTP server

Create up to 25 preset network, FTP profiles for an easy way to store multiple scan settings

Scan to SharePoint4&7 Scan documents directly into SharePoint

Scan to Searchable PDF Scan documents to searchable PDF files

Auto Deskew Yes

Base Colour Removal Yes

ID Scan Yes 1 to 2 Scan Yes

Scanner Drivers

Macintosh5 TWAIN macOS v10.11.6, 10.12.x, 10.13.x

Linux5 SANE (32 & 64 bit editions)

1 Approx declared yield value in accordance with ISO/IEC 19798. 2 Calculated with 80g/m² paper. 3 Windows® & Mac®

only. 4 Windows® only.

Optional download.

Maximum number of printed pages per month can be used to compare designed durability between like
Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds

your print requirements. Requires Brother Software. Must be web connected.

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

Fax

Fax Modem 33,600bps (Super G3)

PC Fax Send3&8 and Receive4&8

Send and Receive faxes directly from your PC

2-Sided Fax Receive Yes

Memory Transmission

Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG) Out of Paper Reception Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG)

Distinctive Ring Detection (UK & Denmark only)

An external service that allows two or more telephone numbers shared on a single fixed line and use different ring tones

Error Correction Mode (ECM)

The MFC will detect line errors during fax transmission and resend the page(s) of the document that had an error (recipient machines must share this feature for it to work)

Auto Reduction

When receiving a single page document longer than A4 (297mm) the fax machine will automatically reduce the message to fit onto a single A4 sheet

Broadcasting

Send the same fax message up to 250 locations

Grey Scale

256 shades (8 bit) of grey are available for faxing

Fleet Management **Tools**

Unattended Installer4 Ability to centrally deploy and customise our drivers and software

MSI Installer4

Modular installers that can be distributed through Active Directory®

BRAdmin Light4&5 LAN/WAN management

software

Embedded Web Server Web based print management software embedded onto the device

Driver Deployment Wizard4 &5

Easily create print drivers for hassle free deployment over your network

PrintSmart Cost Control Monitor and control printing costs for all Brother and 3rd party devices

For more information on PrintSmart Solutions visit: www.brother.eu

Software

Brother iPrint&Scan (Windows & Mac)5

Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from windows or macOS PC.

Nuance® PaperPort 14 SE5

Document management & sharing program

1 Approx declared yield value in accordance with ISO/IEC 19798. 2 Calculated with 80g/m² paper. 3 Windows® & Mac®

only. 4 Windows® only.

Optional download.

Maximum number of printed pages per month can be used to compare designed durability between like
Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds

your print requirements. Requires Brother Software. Must be web connected.

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

Network and Security

Wired Network 10Base-T/100Base-TX

Wired Network Security APOP, POP before SMTP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP, POP), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos

Wireless Network IEEE 802.11b/a/n (Infrastructure Mode) IEEE 802.11g/n (Wi-Fi Direct)

Wireless Network Security WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (AES) *Wi-Fi Direct supports WPA2-PSK (AES) only.APOP, POP before SMTP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP, POP), SNMP 802.1x (LEAP, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos

Wireless Setup Support Wi-Fi Protected Setup (WPS)

Supplies and Accessories

Wireless Applications Wartical Rairing 1,000 pages C/M/Y/BK

Standard Yield Toner 1,000 **Pages** C/M/Y/BK (TN-243)

Without Carton (WxDxH)

410 x 509 x 414 mm

-24.5kg

Wi-Fi DirectTM

Print wirelessly without having to go through a wireless access point (both automatic and manual methods supported)

ARP, RARP, BOOTP, DHCP, APIPA(Auto IP),

name resolution, DNS Resolv- er, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, SMTP Client, IPP/ IPPS, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3. HTTP/HTTPS

server, TFTP client and server, ICMP, Web Services (Print/ Scan), SNTP Client

NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/ v3, HTTP/HTTPS server, TFTP nientand server, ICMPv6, 5,000 Glients Web Services 2 Print/Pages C/M/Y (TN-247)

Drum Unit (DR-243CL)

18,000 Pages (1 page / job)

28.9kg

With Carton (WxDxH) 623 x 523 x 568 mm -

WINS/NetBIOS

users over a network. Can be used with PC User Login Names for Secretore Bullion users Protect print jobs with a 4 digit release code required at the device in order for them to be

printed

IP Filter

Setting Lock

locking it

Restrict which network

access the device over

the network (IPv4 only)

Secures access to the

Secure Function Lock 3.0

individual or groups of

Restrict access to

devices control panel by

users can or cannot

E-mail Notifications Automatically have the device send e-mail alerts when it requires attention, such as when the toner is low or needs replacing

E-mail Reports

Receive usage reports on a regular basis via e-mail

Belt Unit (BU-223CL) Approx. 50,000 (2 page / pages

Waste Toner Box (WT-223CL)

50,000 Approx. pages (5 page / iob)

Duty Cycles

Weights

Dimensions and

Recommended Monthly 300 to 1,500 pages monthly print volume Maximum Monthly6 Up to 30,000 pages monthly print volume

MFC-

Environment

Power Consumption Printing - 430W, Ready - 75W, Quite Mode - 260W, Sleep - 10.1W, Deep Sleep - 1.2W, Off -0.04W

TEC Value 1.3 kWh/Week

Sound Pressure Level
Printing - 47dB(A),
Ready - 33dB(A),
Quite Mode Sada(A)wer
Printing - 6.11B(A)
Mono / 6.16B(A)
Colour
Ready - 4.67B(A),
Quite Mode - 5.71B(A)
Mono / 5.73B(A) Colour
B(A),
Deep Sleep - Inaudible

Power Saving
This enables the printer to consume less energy when not in use

Toner Saving

This reduces the toner usage and helps to reduce the total cost of printer ownership

Energy Star

Blue Angel Yes

Nordic Swan Yes

GS Mark Yes

Eco Mode Yes



















Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

www.brotherearth.com

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

