

PRODUCT NAME	Xerox DocuMate 4760
PRODUCT SPECIFICATIONS	
Simplex Scan Speed @ 200 dpi b/w, 150 dpi colour	60 PPM
Duplex Scan Speed @ 200 dpi b/w, 150 dpi colour	120 IPM
Simplex Scan Speed @ 300 dpi b/w, grey, colour	60 PPM * Compression required to achieve 300 DPI rated speeds
Duplex Scan Speed @ 300 dpi b/w, grey, colour	120 IPM * Compression required to achieve 300 DPI rated speeds
Image Sensor	Dual CCD
Optical Resolution	600 x 600 DPI
Colour Bit Depth	24 bit
Background Colour	Black
Interface	USB 2.0
Duty Cycle	5,000 pages a day
Driver	TWAIN, WIA, ISIS
Operating Systems	Windows XP (32-bit), Windows Vista (32-bit & 64-bit), Windows 7 (32 & 64 bit)
Kofax VRS Technology	OT-VRS, OEM VRS, Professional available as an upgrade
Dimensions (W x H x D) in inches (not including paper trays)	16.8" (w) x 8.6" (h) x 10.9" (d)
Dimensions (W x H x D) in mm (not including paper trays)	427 mm (w) x 218 mm (h) x 277 mm (d)
Weight in lbs (not including paper trays)	19.8 lbs
Weight in Kgs (not including paper trays)	9 Kgs
Dimensions (W x H x D) in inches (paper trays extended)	16.8" (w) x 11.1" (h) x 41.6" (d)
Dimensions (W x H x D) in mm (paper trays extended)	427 mm (w) x 283 mm (h) x 1056 mm (d)
Weight in lbs (including paper trays)	22.5 lbs
Weight in Kgs (including paper trays)	10.2 Kgs
ADF Capacity (20 lb / 75 gsm)	150 pgs
ADF Maximum Document Size (inches)	11.69" x 38"
ADF Maximum Document Size (mm)	297 mm x 965 mm
ADF Minimum Document Size (inches)	3.0" x 2.0"
ADF Mlimum Document Size (mm)	76 x 51 mm
Paper Thickness (US)	13 - 32 lb
Paper Thickness (Europe - g/m2)	49 - 120 g/m2
Card Scanning	Non-embossed up to 1.1 mm thick
Visioneer AutoLaunch technology	Yes
MTBF Rating (Mean Time Between Failures)	5,000 hours
Pad Life Rating	100,000 scans
Roller Life Rating	200,000 scans
Lamp Life Rating	1,000 scan hours
ADF Life Rating	1,000,000 scans
Power Requirement	100 to 240 volts
Power Consumption - During Operation	39.5 Watts
Power Consumption - During Standby	11.41 Watts
Operation Environment Temperature	10° C ~ 35° C
Relative Humidity	10% ~85% RPH
PART NUMBERS	
Hardware	85-0295-000
Model No (VRS Basic)	XDM47605M-WU
Model No (VRS Pro)	XDM47605M-WU/VP
Barcode (US) (VRS Basic)	785414113347
Barcode (US) (VRS Pro)	785414113392
Barcode (Europe) (VRS Basic)	4711860805709
Barcode (Europe) (VRS Pro)	4711860805907
Xerox Part No (VRS Basic)	100N02794
Xerox Part No (VRS Pro)	100N02793
LIST PRICE	
US (VRS Basic)	\$3,995
Euro (VRS Basic)	€ 3,275.00
GBP (VRS Basic)	£2,729.00
US (VRS Pro)	\$4,995
Euro (VRS Pro)	€ 3,730.00

GBP (VRS Pro)	£3,108.00	
PC MINIMUM SYSTEM REQUIREMENTS		
PC	Pentium IV or equivalent processor	
	Windows 7 / Vista / XP compatible	
	512 MB RAM (1 GB RAM for Vista & 7)	
	350 MB of available hard disk space	
	CD / DVD ROM drive	
	USB port	
MAC	N/A - No MAC software bundled with scanner	
BOX CONTENTS		
Contents	Input Tray	
	Output Tray	
	USB Cable	
	AC Power Cords	
	Power Supply	
	Feed Roller	
	Seperation Roller	
	DVD	
	Poster (Quick Install Guide)	
	Technical Support Card	
	Russian Warranty Card	
Box Dimensions in inches	23.62"x15.75"x13.39"	
Box Dimensions in mm	600x400x340mm	
Box Weight in lbs	29.30 lbs	
Net Weight in Kgs	9 kg	
Gross Weight in lbs	29.30 lbs	
Gross Weight in Kgs	13.5 kg	
Number of products on pallet	30	
SCANNER DESIGN		
Scanner Design	Xerox 'Silver and Charcoal' colors	
	Xerox logo badge, silkscreened product identifier	
	7-Segment Blue LED to indicate OT destinations 1-9	
	4 buttons marked as follows;	
	Function: Used to increment 7-segment display	
	Simplex: To scan simplex	
	Duplex: To scan duplex	
	Power: Turns scanner on & off	
	Brown kraft outer box with line illustration of scanner. Design as per new Xerox branding.	
SUSTAINABILITY ISSUES		
Sustainability Issues	Product packaging is made of 100% recyclable materials	
	Product meets current Energy Star and RoHS guidelines	
MANUFACTURING LOCATION		
Manufacturing Location	Taiwan	
CERTIFICATION		
ISO 14001	Available upon request	
ISO 9001	Available upon request	
CB CERT	Available upon request	
FCC CERTIFICATE	Available upon request	
SPARE PARTS*		
	Part Number	Price
USB Cable	35-0118-000	TBC
Power Cords:		

US	35-0103-000	TBC
EUR	35-0104-000	TBC
UK	35-0105-000	TBC
Power Supply	37-0076-000	TBC
Feed Roller	57-0146-000	TBC
Separation Roller	57-0147-000	TBC
ADF Pad		
* Parts orders are non-refundable and can only be exchanged if defective		