

Appendix 2

PRODUCT NAME	DocuMate 4790
PRODUCT SPECIFICATIONS	
Simplex Scan Speed (B/W, Colour @ 300 dpi)	70 ppm (landscape)
Simplex Scan Speed (B/W, Colour @ 200 dpi)	90 ppm (landscape)
Simplex Scan Speed (B/W, Colour @ 150 dpi)	90 ppm (landscape)
Duplex Scan Speed (B/W, Colour @ 300 dpi)	140 ipm (landscape)
Duplex Scan Speed (B/W, Colour @ 200 dpi)	180 ipm (landscape)
Duplex Scan Speed (B/W, Colour @ 150 dpi)	180 ipm (landscape)
Scan Method	Automatic Document Feeder
Light Source	White LED
Image Sensor	3-line color CCD - is this correct?
Optical Resolution	600 x 600 dpi
Colour Bit Depth	24
Background Colour	White or Black (switchable)
Interface	USB 2.0
Duty Cycle	10,000 pages per day
Driver	TWAIN, ISIS, WIA
Operating Systems	Windows XP, Vista, Vista-64, 7, 7-64
Kofax VRS Technology	OEM VRS Pro
Dimensions (W x H x D) in inches (not including paper trays)	18.5" x 13.4" x 17.5" (paper trays part of unit)
Dimensions (W x H x D) in mm (not including paper trays)	468 x 339 x 444 mm
Weight in lbs (not including paper trays)	40 lbs
Weight in Kgs (not including paper trays)	18 Kgs
Dimensions (W x H x D) in inches (including paper trays)	18.5" x 13.4" x 17.5"
Dimensions (W x H x D) in mm (including paper trays)	468 x 339 x 444 mm
Weight in lbs (including paper trays)	40 lbs
Weight in Kgs (including paper trays)	18 Kgs
ADF Capacity (20 lb / 75 gsm)	200 pages
ADF Maximum Document Size (inches)	11.7 " x 17"
ADF Maximum Document Size (mm)	297 x 432 mm
Maximum Document Custom Size	up to 100" / 2540 mm x 12" / 305 mm
ADF Minimum Document Size (inches)	1.9" x 2.8"
ADF Minimum Document Size (mm)	48 x 70 mm
Paper Thickness (US)	5 - 42 lbs
Paper Thickness (Europe - g/m2)	20 - 157 g/m2
Card Scanning	No
Visioneer AutoLaunch technology	No
PART NUMBERS	
Hardware	85-0291-000
Model No with VRS Pro:	97-0047-000 (US), 97-0047-001 (Euro/UK)
Barcode with VRS Pro	(US) 785414113231, (Europe/UK) 4711860805501
SKU No (US):	XDM47905D-WU
SKU No (Europe):	XDM47905E-WU
Xerox Part No with VRS Pro:	100N02781
LIST PRICE	
US	\$5,995
Euro	€ 5,065
GBP	£4,221
PC MINIMUM SYSTEM REQUIREMENTS	
PC	Pentium IV or equivalent processor
	Windows 7 / Vista / XP compatible
	512 MB RAM (1 GB RAM for Vista & 7)
	350 MB of available hard disk space
	CD / DVD ROM drive
MAC	N/A - No Mac software bundled with scanner

BOX CONTENTS	
Contents	US-
	AC Power Cord - 35-0234-000
	Blower w/Brush - 57-0122-000
	Poster (Quick Install Guide) - 05-0819-000
	Technical Support Card - 05-0590-800
	Roller Cleaning Paper, Cleaning Paper Card - 05-0722-000
	Shading Sheet, Shading Caution Leaflet - 05-0724-000
	DVD - 41-0380-010
	DFP Roller Pad - 57-0138-000
	Hopper Pad - 57-0139-000
	Paper Guide Pad - 57-0140-000
	Europe/UK-
	All above except the AC Power Cord - 35-0234-000
	+ AC Power Cord (Euro) - 35-0235-000
	+ AC Power Cord (UK) - 35-0236-000
Box Dimensions in inches	L 23.7" X W 21.7" X H 19.5"
Box Weight in lbs	Weight: 53.5 lbs
Box Weight in Kgs	117.7 kg
Weight of Packaging:	
1. Paper/Board	4537.2 g
2. Plastic	964 g
3. Wood	0.0
4. Other	0.0
SCANNER DESIGN	
Scanner Design	Xerox Vudu Blue and White in color
	Xerox identity badge and product identifier silkscreen
	128x160 LCD for indicating OT destination and status
	4 painted buttons marked as follows;
	Simplex, Duplex, Double Feed Skip, Up, Down
	2 status LEDs; Blue: Ready, Red: Error
	Brown kraft outer box with line illustration of scanner. Design as per new Xerox Branding.
SUSTAINABILITY ISSUES	
Sustainability Issues	Product packaging is made of 100% recyclable materials
	Product meets current Energy Star and RoHS guidelines
MANUFACTURING LOCATION	
Manufacturing Location	Made in China
CERTIFICATION	
ISO 14001	Available upon request
ISO 9001	Available upon request
CB CERT	Available upon request
FCC CERTIFICATE	Available upon request
SPARE PARTS*	
USB Cable	35-0113-000
Power Cords:	
US	35-0234-000
EUR	35-0235-000
UK	35-0236-000
Accessory Kit (DFP)	70-0567-000
DFP Roller Pad	57-0138-000
Hopper Pad	57-0139-000
Paper Guide Pad	57-0140-000

* Parts orders are non-refundable and can only be exchanged if defective